

# sikkens

Created by Nature • Fashioned by Craftsmen • Finished by Sikkens



## Cetol Design Concept: Product Guide & Colour Collection



AkzoNobel Group of Companies

Marketing Dept: Dulux Paints Ireland, Tallaght, Dublin 24. Tel 01 455 6099  
Technical Dept: Dulux Paint Ireland, Commons Road, Cork. Tel: 021 422 0205  
Email: [marketing@dulux.ie](mailto:marketing@dulux.ie) [www.duluxtrade.ie/sikkens](http://www.duluxtrade.ie/sikkens)

Sikkens, The Right Color logo, Dulux Trade, Rubbol and Cetol are trade marks of the AkzoNobel Group of Companies © AkzoNobel 2010-2011

FSC Logo



the right color

Ireland

## The Sikkens Cetol Range

The Sikkens Cetol range comprises premium woodstain systems formulated to highlight and enhance the inherent beauty of wood by allowing natural features to show through an exceptionally translucent finish. With outstanding durability and an excellent finish, Sikkens Cetol is the first choice in coatings for the professional.

### EXTERIOR WOODSTAIN SYSTEMS

#### Cetol Filter 7 plus

A highly durable, medium build, solvent-borne woodstain that provides a highly translucent, semi-gloss finish and offers outstanding protection against the damaging effects of sunlight. It is suitable for use on exterior softwood and hardwood joinery, windows and doors.

- Highly translucent to bring out the beauty of woodgrain
- 5 year maintenance cycle
- Excellent resistance to UV radiation
- Moisture vapour permeable and water-repellent
- Very easy application and maintenance

Available in 1L, 2.5L & 5L ready mixed wood shades & bases for tinting



#### Cetol HLS plus

A low build, solvent-borne, semi-gloss woodstain.

Can be used both as a base stain under Cetol Filter 7 plus and as a single-product finish.

It is suitable for use as a single-product finish on exterior softwood and hardwood substrates such as cladding, fascias, soffits, rough sawn timber and fencing; and as a base stain on exterior softwood and hardwood joinery, windows and doors.

- Highly translucent to bring out the beauty of the wood grain
- Resistant to UV radiation, peeling and cracking
- Moisture vapour permeable

Available in 1L, 2.5L & 5L ready mixed wood shades & bases for tinting



#### Cetol Novatech

A high solids, medium to high build, solvent-borne woodstain that gives a translucent, semi-gloss finish. Can be used both as a base stain under Cetol Novatop and as a single-product finish.

Suitable for use as a single-product finish on exterior softwood and hardwood substrates such as cladding, fascias, soffits and rough sawn timber; and as a base stain on exterior softwood and hardwood joinery, windows and doors.

- Highly translucent to bring out the beauty of woodgrain
- Excellent absorption into the surface
- Provides a sound base for subsequent coatings
- Highly durable
- One coat maintenance

Available in 2.5L ready mixed wood shades & bases for tinting



#### Cetol Novatop

A high durability, high-solids solvent-borne woodstain with a translucent, semi-gloss finish. A one coat finish onto a base coat of Cetol Novatech or existing sound woodstains for windows and doors.

- Highly translucent to bring out the beauty of the wood grain
- 5 year maintenance cycle
- One coat application for maintenance
- Cost effective for labour saving
- Excellent durability

Available in 2.5L ready mixed wood shades & bases for tinting



## Cetol BL21 plus

A low to medium-build, water-borne, semi-transparent woodstain for use on exterior softwood and hardwood, to provide protection and decoration for substrates such as cladding, fascias, soffits, rough sawn timber, fencing, or components subject to high levels of wear and abrasion, such as garden furniture and handrails.

Also as a base stain prior to the application of higher build finishes such as Cetol BL31 on smooth-planed exterior joinery.

- Highly translucent to bring out the beauty of the wood grain
- Excellent adhesion and flexibility for optimum coating performance
- Easy application

Available in 2.5L & 5L ready mixed wood shades & 2.5L bases for tinting



## Cetol BL31

A medium build, water-borne exterior woodstain for use on new windows and doors over Cetol BL21 plus or as a maintenance coat on already coated surfaces.

The highly extensible acrylic resin formulation provides the protection required by high specification construction joints in door and window joinery. This extensibility enables the coatings to flex with the expansion and contraction of the timber, resisting peeling and flaking.

- Exceptional durability
- Low odour and quick drying
- 4 to 5 year maintenance cycle when used with Cetol BL21 plus
- Highly translucent to bring out the beauty of the wood grain

Available in 2.5L & 5L ready mixed wood shades & 2.5L bases for tinting



## Cetol BL Primer

A water-borne, premium quality, stain-blocking primer with excellent adhesion to timber. It is for use on exterior hardwoods or knotty softwoods, where it reduces the extractive discolouration of water-borne finishes.

- Ideal for use under Cetol BL Opaque on dark coloured hardwoods or resinous, knotty timber.

Available in White 2.5L



## Cetol BL Opaque

A water-borne medium to high build timber coating with a solid 'paint-like' finish.


Specially formulated to give a flexible, obliterating finish, it is an environmentally preferable alternative to traditional paint.

It is suitable for use on most exterior timber including cladding, fascias, windows and doors. It can usually be specified alone as a self-priming system on non-resinous, knot-free timber or over Cetol BL Primer on resinous or knotty timber.

- Superb covering power
- Excellent adhesion
- Usually the application of only one or two coats is required to overcoat painted/wood-stained surfaces.

Available in 5L White & bases for tinting





## Gupa Woodfiller

A fast-drying filler/stopper for small nail holes and cracks.  
For use on exterior and interior softwood and hardwood.

- Can be overcoated with woodstain, paints and colourless finishes
- Quick drying
- Easy to sand
- Excellent adhesion to bare wood
- The filler remains workable for up to 2 minutes at a temperature of 20°C



Available in 125ml in Natural, Light Oak, Dark Oak, Mahogany, Merbau and Teak



## Ready-Mixed Sikkens Cetol Woodshades



B8.29.15 T (045) Mahogany



D5.51.29 T (085) Teak



A9.17.10 T (048) Rosewood



C6.16.11 T (010) Walnut



E5.58.44 T (006) Light Oak



D9.54.32 T (009) Dark Oak



E6.65.60 T (077) Pine



WN.00.06 T (020) Ebony

To see which shades are available in which ranges, refer to page 15



## Sikkens Cetol Colour Mixing

For even more colour choice your favourite Sikkens products can be colour-mixed in a range of traditional and contemporary shades.

## The Classic Collection

The **Cetol Design Classic Collection** is a truly inspirational selection of colours aimed at the professional user. By demonstrating the functional and aesthetic benefits of woodstains, the range of 45 carefully selected shades is designed to help professionals to be more creative in the choice of colour in order to create a modern look and feel to their projects.

Through the **Classic Collection**, wood, the most traditional of building materials, has been brought into complete harmony with today's construction materials.

## The Style Collection

The **Cetol Style Collection** is for those who like to make bold statements with colour. The range comprises 40 authentic, modern, very strong and primary colours that demand to be used with flair and imagination. The majority of colours in the **Style Collection** can be used on both interior and exterior surfaces to bring a new vibrancy to projects.



## Sikkens Colour Mixing

The following ranges are tinted in Dublin at Dulux Paints Ireland.  
**Cetol HLS plus, Cetol Filter 7 plus, Cetol Novatop and Cetol Novatech.**

The following ranges are tinted in Cork at Dulux Paints Ireland.  
**Cetol BL21 plus, Cetol BL31 plus and Cetol BL Opaque.**

*Please allow time for delivery.*

## The Classic Collection



D3.28.39 T



B8.35.25 T



B8.29.15 T (045) Mahogany\*\*



A9.17.10 T (048) Rosewood\*\*



C5.06.08 T



E8.08.18 T



WN.00.06 T (020) Ebony\*\*



TN.01.27 T



E1.26.55 T



D4.71.42 T



D5.51.29 T (085) Teak\*\*



C7.44.26 T



C6.16.11 T (010) Walnut\*\*



K5.04.15 T



TN.01.11 T



ON.00.40 T

\*\* Available in ready mixed for some products



E8.35.66 T



E6.65.60 T (077) Pine\*\*



E5.58.44 T (006) Light Oak\*\*



D9.54.32 T (009) Dark Oak\*\*



D7.23.15 T



H2.04.15 T



ON.00.31 T



M5.05.39 T



ON.00.60 T



F5.32.77 T



FO.40.63 T



F1.56.57 T



E1.35.22 T



E1.30.28 T



E3.18.21 T



Q7.03.30 T



R0.10.60 T



J1.05.67 T



F3.18.55 T



F4.30.50 T



F4.25.30 T



G2.06.34 T



F4.13.42 T



G1.19.39 T



F6.55.70 T\*



T6.30.10 T



G9.05.67 T



G2.05.55 T




F9.23.59 T



G1.06.55 T



G8.10.40 T



R1.09.50 T



C4.40.20 T

*Colour chips should only be used as a guide.*  
*The following factors will all affect the final colour:*

- *The natural colour of the wood and any existing coating*
- *The texture and absorption of the surface*
- *The way the products are applied*
- *The build of the coating e.g. Sikkens Cetol HLS plus will look different to Sikkens Cetol Filter 7 plus.*

## The Style Collection



P0.05.35 T



B6.35.15 T



R6.07.57 T



F2.05.65 T



CN.02.27 T



H2.10.20 T



K6.50.30 T



C4.65.42 T\*



G0.60.75 T\*



L8.25.15 T



G1.18.82 T\*



M9.16.64 T



ON.00.40 T



N7.04.52 T



T0.10.30 T



U2.56.31 T\*



ON.00.50 T



D2.70.45 T\*



G6.07.86 T (030)\*



ON.00.81 T\*



G2.07.15 T



HN.02.49 T\*



J0.10.60 T



L0.08.80 T\*



B9.24.26 T\*



G4.30.80 T\*



S0.40.50 T



ON.00.10 T



G6.35.40 T



L0.20.15 T



G0.07.45 T



G6.12.76 T\*



G6.59.79 T\*



V0.25.35 T



C5.07.71 T\*



A3.36.46 T\*

# Cetol Systems For Exterior

	Recommended system	System Benefits	Substrate/ Usage Area	New timber	Previously stained timber	Maintenance Coat	Woodshade Colour Range, Ready Mixed	Colour Range Colour Mixing
Solvent-Borne	<b>Cetol HLS plus</b>	Excellent performance One coat maintenance Highly translucent	Cladding, boarding, fascias etc.	3 coats	1-2 coats	1-2 coats	<b>Cetol HLS plus:</b> Light Oak, Dark Oak, Walnut, Mahogany, Pine, Rosewood, Teak	<b>Classic Colour Collection:</b> 45 colours <b>Style Colour Collection:</b> 40 colours*
	<b>Cetol HLS plus + Cetol Filter 7 plus</b>	Traditional wood protection system Exceptional durability Contains UV filters for superior sunlight protection	Doors, windows, other exterior joinery	1 coat of <b>Cetol HLS plus</b> + 2 coats of <b>Cetol Filter 7 plus</b>	2 coats of <b>Cetol Filter 7 plus</b>	1-2 coats of <b>Cetol Filter 7 plus</b>	<b>Cetol HLS plus:</b> Light Oak, Dark Oak, Walnut, Mahogany, Pine, Rosewood, Teak  <b>Cetol Filter 7 plus:</b> Light Oak, Dark Oak, Walnut, Ebony, Mahogany, Pine, Teak	<b>Classic Colour Collection:</b> 45 colours <b>Style Colour Collection:</b> 40 colours*
	<b>Cetol Novatech</b>	Excellent absorption into the surface Highly durable Deep penetration, fills the wood's pores	Cladding, boarding, fascias etc.	2 coats	1 coat	1 coat	<b>Cetol Novatech:</b> Light Oak, Dark Oak, Mahogany, Teak	<b>Classic Colour Collection:</b> 45 colours <b>Style Colour Collection:</b> 40 colours*
	<b>Cetol Novatech + Cetol Novatop</b>	One coat maintenance Cost effective and labour saving Highly translucent	Windows, doors and other exterior joinery	1 coat of <b>Cetol Novatech</b> + 1 coat of <b>Cetol Novatop</b>	1 coat of <b>Cetol Novatop</b>	1 coat of <b>Cetol Novatop</b>	<b>Cetol Novatech:</b> Light Oak, Dark Oak, Mahogany, Teak  <b>Cetol Novatop:</b> Light Oak, Dark Oak, Mahogany, Teak	<b>Classic Colour Collection:</b> 45 colours <b>Style Colour Collection:</b> 40 colours*
Water-Borne	<b>Cetol BL 21 plus</b>	Low odour Superior water repellency Superb flow characteristics	Cladding, boarding, fascias etc.	3 coats	1-2 coats	1-2 coats	<b>Cetol BL21 plus:</b> Light Oak, Teak	<b>Classic Colour Collection:</b> 45 colours <b>Style Colour Collection:</b> 40 colours*
	<b>Cetol BL 21 plus + Cetol BL 31</b>	Highly water repellent Quick drying Superb flow characteristics	Doors, windows, other exterior joinery	1 coat of <b>Cetol BL 21plus</b> + 2 coats of <b>Cetol BL 31</b>	2 coats of <b>Cetol BL 31</b>	1-2 coats of <b>Cetol BL 31</b>	<b>Cetol BL21 plus:</b> Light Oak, Teak  <b>Cetol BL31:</b> Light Oak, Teak	<b>Classic Colour Collection:</b> 45 colours <b>Style Colour Collection:</b> 40 colours*
	<b>Cetol BL Opaque</b>	Excellent adhesion, excellent coverage, water-borne, flexible	Most exterior timber. cladding, fascias, windows and doors	2 coats	2 coats	2 coats	<b>Cetol BL Opaque:</b> White	Tinted colours from: <b>4041 Colour Collection, RAL, BS and NCS ranges</b>
	<b>Cetol BL Primer + Cetol BL Opaque</b>	Water-borne system with excellent adhesion to timber. Stain-blocking, flexible, paint-like finish	Knotty softwoods and coloured hardwoods, including cladding, fascias, windows and doors	1 coat of <b>Cetol BL Primer</b> + 2 coats of <b>Cetol BL Opaque</b>	1 coat of <b>Cetol BL Primer</b> + 2 coats of <b>Cetol BL Opaque</b>	2 coats of <b>Cetol BL Opaque</b>	<b>Cetol BL Primer:</b> White  <b>Cetol BL Opaque:</b> White	<b>Cetol BL Opaque:</b> Tinted colours from: <b>4041 Colour Collection, RAL, BS and NCS ranges</b>

\* Some colours not suitable for exterior use.